


Guy Wire Deadend Grip (automatic) All Grade & Universal Grade

LinkEZ All-Grade automatic deadends are designed for use on High Strength, Common, Siemens-Martin, Utilities and Bell System Strand.

LinkEZ Universal-Grade automatic deadends are designed for use on all grades of galvanized steel wire strand ...High Strength, Extra High Strength, AlumoWeld, Aluminized, Common, Siemens-Martin, Utilities and Bell System Strand

Rated to hold minimum 90% RBS of guy wire used.

Material: Gripping Unit - Stainless Steel
Yoke - Aluminum Alloy
Bail - Stainless Steel



LinkEZ Part #	Industry Ref. #	Primary Strand Application	Range (Inch)	Dimensions		
				A	B	C
3015100	5100	1/4" All Grade	0.240 ~ 0.253	9.10	5.70	1.20
3015101	5101	5/16" All Grade	0.310 ~ 0.335	9.25	5.60	1.46
3015101L	5101L	5/16" Long Bail	0.310 ~ 0.335	13.10	9.50	1.46
3015102	5102	3/8" All Grade	0.360 ~ 0.405	11.77	7.00	1.65
3015102L	5102L	3/8" Long Bail	0.360 ~ 0.405	17.00	12.50	1.65
3015199	5199	3/16" Universal Grade	0.140 ~ 0.215	10.10	5.20	1.60
3015200	5200	1/4" Universal Grade	0.215 - 0.270	10.20	5.70	1.60
3015201	5201	5/16" Universal Grade	0.270 - 0.315	10.30	5.50	1.80
3015201L	5201L	5/16" Long Bail EHS	0.270 - 0.315	15.30	10.50	1.80
3015202	5202	3/8" Universal Grade	0.325 - 0.392	13.00	7.10	2.20
3015202L	5202L	3/8" Long Bail EHS	0.325 - 0.392	17.20	11.20	2.20
3015203	5203	7/16" Universal Grade	0.392 - 0.455	14.60	8.40	2.40
3015203L	5203L	7/16" Long Bail EHS	0.392 - 0.455	18.40	12.40	2.40

- Notes: 1. LinkEZ has no relation with StrandVise/StrandLink brands.
Industry cross reference numbers are listed here for the convenience of customers
2. Long bail versions are also available
3. For further details, please contact us
LinkEZ Products
Lake St. Louis, Missouri
Sales@LiuPowerProducts.com
Fax: 636-634-3410


Guy Wire Splice Grip (automatic) All Grade & Universal Grade

LinkEZ All-Grade automatic splices are designed for use on High Strength, Common, Siemens-Martin, Utilities and Bell System Strand.

LinkEZ Universal-Grade automatic splices are designed for use on all grades of galvanized steel wire strand ...High Strength, Extra High Strength, AlumoWeld, Aluminized, Common, Siemens-Martin, Utilities and Bell System Strand

Rated to hold minimum 90% RBS of wire used.

Material: Gripping Unit - Stainless Steel
Yoke - Aluminum Alloy
Bail - Stainless Steel



LinkEZ Part #	Industry Ref. #	Primary Strand Application	Range (Inch)	Dimensions	
				A	B
3015000	5000	1/4" All Grade	0.204- 0.253	6.40	0.90
3015001	5001	5/16" All Grade	0.310- 0.335	7.25	1.04
3015002	5002	3/8" All Grade	0.360- 0.405	8.00	1.25
3015039	5039	3/16" Universal Grade	0.140 - 0.215	7.50	1.03
3015040	5040	1/4" Universal Grade	0.215 - 0.270	7.62	1.13
3015041	5041	5/16" Universal Grade	0.270 - 0.315	9.28	1.26
3015042	5042	3/8" Universal Grade	0.325 - 0.392	10.62	1.45
3015043	5043	7/16" Universal Grade	0.392 - 0.455	10.59	1.59

- Notes: 1. LinkEZ has no relation with StrandVise/StrandLink brands.
Industry cross reference numbers are listed here for the convenience of customers
2. For further details, please contact us
LinkEZ Products
Lake St. Louis, Missouri
Sales@LiuPowerProducts.com
Fax: 636-634-3410

LinKEZ Wire Connectors

LinKEZ provides an easy way to secure wires to end posts.

Insert wire through the smaller end of the tapered tube.

With its spring loaded jaws inside, LinKEZ will grab the wire upto min. 92% of the wire's own breaking strength

LinKEZ is widely used in telecom industry to secure cables to posts.

To select the proper size of LinKEZ, please use the following table.

LinKEZ Part #	Industry Ref #	Est. Holding Strength (LBs)	Primary Strand Application
3015056	5056	1150	14 ~ 17 GA; 0.062"~0.100"
301057	5057	1150	14 ~ 17 GA; 0.062"~0.100"
3015058	5058	1550	12 ~ 13 GA; 0.102"~0.114"
301059	5059	1550	12 ~ 13 GA; 0.102"~0.114"
3015062	5062	2200	10 ~ 11 GA; 0.120"~0.135"
301063	5063	2200	10 ~ 11 GA; 0.120"~0.135"
3015064	5064	3250	8 ~ 9 GA; 0.140"~0.158"
301065	5065	3250	8 ~ 9 GA; 0.140"~0.158"

Notes:

1. LinKEZ will hold min. 92% RBS of specified wire
2. LinKEZ has no relation with WireVise/WireLink brands.
Industry cross reference numbers are listed here for the convenience of customers
3. For further details, please contact us
LinKEZ Products
Lake St. Louis, Missouri
Sales@LiuPowerProducts.com



Telephone Drop Wire Clamp



LinEZ Part #	Industry Ref #	Industry Ref #	Pair
3022P85	23-88885	2PRMS	1~2
3026P51	23-86651	6PRDS	6

- Notes: 1. LinEZ has no relation with T&B or MPS.
Industry cross reference numbers are listed here for the convenience of customers
2. For further details, please contact us
LinEZ Products
Lake St. Louis, Missouri
Sales@LiuPowerProducts.com
Fax: 636-634-3410